


In the Claims

The following list of pending claims replace any prior list of claims.


1. (Original) A method to inhibit activation of an inflammatory cell which interacts with a columnar epithelium, comprising administering to a subject an effective amount of a lipoxin A₄ compound.
2. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the kidney.
3. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the stomach.
4. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the liver.
5. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the thyroid.
6. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the trachea.
7. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the lung.
8. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the gall bladder.
9. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the urinary bladder.

10. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the bile duct.
11. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the pancreatic duct.
12. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the testicle.
13. (Original) A method of claim 1, wherein the columnar epithelium is an epithelium of the intestine.
14. (Original) A method of claim 1, wherein the lipoxin compound is an analog of natural lipoxin A₄.
15. (Original) A method of claim 14, wherein the analog of natural lipoxin A₄ has a longer half-life than natural lipoxin A₄.
16. (Original) A method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

17. (Original) A method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

18. (Original) A method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

19. (Original) A method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

20. (Original) A method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

21. (Original) A method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

22. (Original) A method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

23. (Original) A method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

24. (Original) A method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

25. (Original) A method of claim 15, wherein the lipoxin analog is




where R' is H or CH₃.

26. (Original) A method of claim 15, wherein the lipoxin analog is



where R' is H or CH₃.

27. (Original) A method of claim 15, wherein the lipoxin analog is



where R' is H or CH₃.

28. (Canceled)